

Changes (250 characters limit)

- 2008-02-01 Enhancements: SD (vector input), ICS (power variable: initial values), contents.m: ver.m fitted, documentation; 3 new examples: cascaded electric circuit, switched cascaded electric circuit, spring cable cylinder; asynchronous machine: 3 compact BGs
- 2007-11-16 New example: band-stop filter; enhanced documentation: special case of a node connection
- 2007-10-23 New examples: buck and boost converter models; including Power Oriented Graph (POG) in parallel as well as dimension $m=1$ and $m=3$ [see chopper models: 3 and 4 resp. boost converter models: 4 and 5]; Clutch model for hybrid electric vehicles; Contents.m
- 2007-05-09 New example: two variants of Chua's Circuit (chaos generator with F-source resp. E-source);
Enhancement of TF-element for use as switch;
- 2007-04-25 Enabling of differential causality;
Two examples including differential causality (pendulum, double pendulum);
- 2006-10-27 Examples: 16 / inclusive of variants a total of 52;
[250 limit] Scalar and vectorial models of three-phase machines with and without power conserving transformation as well as two-reaction theory;
Some minor enhancements;
Minor upgrading of the documentation;
More examples – 16 different examples as well as inclusive of variants a total of 52 Simulink Bond Graphs;
Scalar and vectorial models of three-phase machines with and without power conserving transformation as well as two-reaction theory [asynchronous machine, double-fed asynchronous machine, permanently excited synchronous machine, separately excited synchronous machine without and with number of turns];
Some minor enhancements;
Minor upgrading of the documentation;
- 2006-08-10 Three more examples: three-phase induction machine (ASM) with Clarke (ab) and Park (dq) coordinates, doubly-fed induction machine (DASM) with Park (dq) coordinates; each with scalar and vectorial Bond Graph.
- 2006-05-24 Extended documentation