

161st Eigenvector

$$N_e = 4 \quad s = 1 \quad m_s = 1$$

Irred. Representation : $\Gamma_{5,3}$

$$E_{161} = \frac{A_{18}}{3}$$

$$\begin{aligned} |\Psi_{161}\rangle &= |4, 1, 1, \Gamma_{5,3}\rangle \\ &= C_{161,1} (|02uu\rangle - |0u2u\rangle + |20uu\rangle - |2u0u\rangle + |u0u2\rangle + |u2u0\rangle - |uu02\rangle - |uu20\rangle) \\ &+ C_{161,2} (|0uu2\rangle - |2uu0\rangle - |u02u\rangle + |u20u\rangle) \\ &+ C_{161,3} (|duuu\rangle - |uduu\rangle - |uudu\rangle + |uud\rangle) \end{aligned}$$

$$C_{161-1} = \frac{1}{6}t (3J + 6U + 60W - 2A_{18})$$

$$C_{161-2} = -4t^2$$

$$\begin{aligned} C_{161-3} &= \frac{1}{8} (J^2 + 4(U + 10W)J + 4(U^2 - 8t^2)) \\ &+ \left(\frac{1}{18} (30W - A_{18}) (3J + 6U + 30W - A_{18}) \right) \end{aligned}$$

$$N_{161} = 2\sqrt{2C_{161,1}^2 + C_{161,2}^2 + C_{161,3}^2}$$